


圧着端子各社形番対照表【日本圧着端子製造(株)〔JST〕・JST・N社・F社・D社】

丸形端子 (R形)



種類	JST	φ d2	B	L	F	N社	φ d2	B	L	F	F社	φ d2	B	L	F	D社	φ d2	B	L	F
R形	0.5-2	2.20	5.20	12.40	5.80	R0.3-2	2.20	5.20	12.00	4.90	0.5-2	2.20	5.20	12.40	5.80					
	0.5-3	3.20	5.20	12.40	5.80	R0.3-3	3.20	5.20	12.00	4.90	0.5-3	3.20	5.20	12.40	5.80					
	0.5-3.7	3.70	6.60	15.00	7.70	R0.3-3.5	3.70	6.60	15.00	7.20	0.5-3.5	3.70	6.60	15.00	7.70					
	0.5-4	4.30	6.60	15.00	7.70	R0.3-4	4.30	6.60	15.00	7.20	0.5-4	4.30	6.60	15.00	7.70					
	0.5-5	5.30	8.00	15.00	7.00															
	R1.25-3	3.20	5.50	11.50	4.00	R1.25-3					1.25-3	3.20	5.50	12.00	4.75	R1.25-3	3.20	5.50	12.00	4.80
	1.25-MS3	3.20	5.50	13.20	5.60	R1.25-3S	3.20	5.70	11.90	4.55	1.25-FS3	3.20	5.80	13.25	5.85					
	1.25-3.7	3.70	5.50	11.50	4.00	R1.25-3.5N R1.25-3.5S	3.70 3.70	5.60 5.70	14.90 11.90	7.60 4.55	1.25-S3.5	3.70	5.50	12.00	4.75					
	R1.25-3.5	3.70	6.60	14.40	6.30	R1.25-3.5 R1.25-3.5M	3.70 3.70	6.60 6.80	13.30 13.90	5.50 6.00	1.25-3.5	3.70	6.50	13.60	5.85	R1.25-3.5	3.70	6.60	14.40	6.60
	1.25-M4	4.30	6.60	14.40	6.30	R1.25-4M	4.30	6.80	13.90	6.00	1.25-S3.5	3.70	5.50	12.00	4.75					
	R1.25-4	4.30	8.00	15.80	7.00	R1.25-4	4.30	8.00	15.60	7.10	1.25-4	4.30	8.00	15.80	7.30	R1.25-4	4.30	8.00	15.50	7.50
	R1.25-5	5.30	8.00	15.80	7.00	R1.25-5	5.30	8.00	15.60	7.10	1.25-5	5.30	8.00	15.80	7.30	R1.25-5	5.30	8.00	15.50	7.50
	1.25-5NS	5.30	9.00	20.40	11.10															
	1.25-6	6.40	11.60	21.70	11.10	R1.25-6	6.40	12.00	20.20	9.70	1.25-6	6.40	12.00	20.00	9.50					
	1.25-8	8.40	11.60	21.70	11.10	R1.25-8	8.40	12.00	20.20	9.70	1.25-8	8.40	12.00	20.00	9.50					
	1.25-10	10.50	13.60	25.50	13.90	R1.25-10	10.50	16.50	25.00	12.25	1.25-10	10.50	13.60	25.50	14.20					
	2-S3.3	3.20	6.40	12.30	4.30	R2-3	3.20	6.50	12.70	4.95	2-S3	3.20	6.40	12.40	4.20					
	2-3	3.20	8.50	16.80	7.80	R2-3.5N	3.70	5.60	14.90	7.60	2-3	3.20	8.50	16.50	7.25					
	2-S3	3.70	6.40	12.30	4.30	R2-3.5NS	3.70	6.50	12.70	4.95	2-S3	3.20	6.40	12.40	4.20					
	R2-3.5	3.70	6.60	14.40	6.30	R2-3.5 R2-3.5S	3.70 3.70	6.60 6.60	14.40 15.40	6.60 7.60	2-3.5	3.70	6.60	15.60	7.30	R2-3.5	3.70	6.60	13.00	5.20
	2-M4	4.30	6.60	14.40	6.30	R2-4S	4.30	6.60	14.40	6.60	2-S4	4.30	6.60	13.60	5.30					
	R2-4	4.30	8.50	16.80	7.80	R2-4	4.30	8.50	16.50	7.75	2-4	4.30	8.50	16.50	7.25	R2-4	4.30	8.50	16.50	7.80
	2-M5	5.30	8.50	16.80	7.80	R2-5M	5.30	8.00	16.00	7.50	2-S5	5.30	8.50	16.50	7.25					
	R2-5	5.30	9.50	16.80	7.30	R2-5	5.30	9.50	17.00	7.75	2-5	5.30	9.50	17.20	7.45	R2-5	5.30	9.50	17.00	7.80
	2-5NS	5.30	9.00	20.30	11.00															
	R2-6	6.40	12.00	21.80	11.00	R2-6	6.40	12.00	21.50	11.00	2-6	6.40	12.00	21.80	10.80	R2-6	6.40	12.00	21.50	11.00
	R2-8	8.40	12.00	21.80	11.00	R2-8	8.40	12.00	21.50	11.00	2-8	8.40	12.00	21.80	10.80	R2-8	8.40	12.00	21.50	11.00
	2-10	10.50	13.60	25.50	13.90	R2-10	10.50	15.00	24.50	12.50	2-10	10.50	13.60	25.50	13.70					
	2-12	13.00	19.00	31.00	16.70	R2-12	13.00	19.00	28.50	14.50	2-12	13.00	19.00	31.00	16.50					
	3.5-R4	4.30	8.00	17.80	9.00	R3.5-4	4.30	8.00	18.00	8.00	3.5-4	4.30	8.00	18.00	7.70					
	3.5-R5	5.30	8.00	17.80	9.00	R3.5-5S	5.30	9.60	20.00	9.20	3.5-5	5.30	8.00	18.00	7.70					
	3.5-6	6.40	10.30	18.60	8.60	R3.5-6 R3.5-6L	6.40 6.40	9.60 12.00	20.00 21.40	9.20 9.40	3.5-6	6.40	12.00	21.40	9.10					
	5.5-3	3.20	9.50	19.80	8.30	R5.5-3S	3.20	9.00	18.20	7.20	5.5-3	3.20	9.50	19.60	8.35					
	5.5-S3.3	3.20	7.20	15.70	5.90	R5.5-3M R5.5-3N	3.20	6.50 7.00	16.95 17.20	7.20	5.5-SS3	3.20	7.00	18.00	8.00					
	5.5-3.7	3.70	9.50	19.80	8.30	R5.5-3.5S R5.5-3.5	3.70	9.00 9.50	18.20 19.50	7.20 8.25	5.5-3.5	3.70	9.50	19.60	8.35					

種類	JST	φ d2	B	L	F	N社	φ d2	B	L	F	F社	φ d2	B	L	F	D社	φ d2	B	L	F
R形	5.5-S4	4.30	7.20	15.70	5.90	R5.5-3.5	3.70	9.50	19.50	8.25	5.5-SS4	4.30	7.00	18.00	8.00					
	HK5.5-4	4.30	7.20	19.80	8.30	R5.5-4N	4.30	7.00	17.20	7.20										
	5.5-4NS	4.30	8.00	19.10	8.30	R5.5-4S	4.30	9.00	18.20	7.20	5.5-S4	4.30	8.00	18.50	8.00					
	R5.5-4	4.30	9.50	19.80	8.30	R5.5-4	4.30	9.50	19.50	8.25	5.5-4	4.30	9.50	19.60	8.35	R5.5-4	4.30	9.50	19.50	8.50
	5.5-5NS	5.30	8.00	19.10	8.30	R5.5-5N	5.30	8.00	17.70	7.20	5.5-S5	5.30	8.00	18.50	8.00	R5.5-5	5.30	9.50	19.50	8.50
	R5.5-5	5.30	9.50	19.80	8.30	R5.5-5	5.30	9.50	19.50	8.25	5.5-5	5.30	9.50	19.60	8.35					
	R5.5-6	6.40	12.00	25.80	13.00	R5.5-6	6.40	12.00	23.00	10.50	5.5-6	6.40	12.00	25.30	12.80	R5.5-6	6.40	12.00	22.50	10.20
	5.5-6NS	6.40	9.00	24.30	13.00	R5.5-6S	6.40	9.00	23.00	12.00	5.5-SS6	6.40	9.50	19.60	8.35					
	5.5-S6	6.40	13.20	22.40	9.00	R5.5-6	6.40	12.00	23.00	10.50	5.5-S6	6.40	13.30	23.00	9.85					
	5.5-S8	8.40	13.20	22.40	9.00	R5.5-8S	8.40	13.20	22.10	9.00	5.5-SS8	8.40	12.00	25.30	12.80					
	R5.5-8	8.40	15.00	28.00	13.70	R5.5-8	8.40	15.00	28.00	14.00	5.5-8	8.40	15.00	28.20	14.20					
	R5.5-10	10.50	15.00	28.00	13.70	5.5-10	10.50	15.00	28.00	14.00	5.5-10	10.50	15.00	28.20	14.20	R5.5-10	10.50	15.00	27.30	14.00
	5.5-12	13.00	19.20	32.40	16.00	5.5-12	13.00	19.20	32.50	16.40	5.5-12	13.00	19.20	32.50	16.40					
	8-4NS	4.30	8.00	21.80	9.30	R8-4S	4.30	8.00	21.50	9.10	8-S4	4.30	9.50	22.55	9.70					
	8-4	4.30	12.00	23.80	9.30	R8-4	4.30	12.00	23.50	9.10	8-4	4.30	12.00	23.80	9.70					
	8-5NS	5.30	9.00	22.30	9.30	R8-5S	5.30	10.00	22.50	9.10	8-S5	5.30	9.50	22.55	9.70					
	R8-5	5.30	12.00	23.80	9.30	R8-5	5.30	12.00	23.50	9.10	8-5	5.30	12.00	23.80	9.70	R8-5	5.30	12.00	23.50	9.20
	8-6NS	6.40	9.60	22.60	9.30	R8-6S	6.40	10.00	22.50	9.10	8-6	6.40	12.00	23.80	9.70					
	R8-8	8.40	15.00	29.80	13.80	R8-8	8.40	15.00	29.50	13.60	8-8	8.40	15.00	29.60	14.00	R8-8	8.40	15.00	29.50	14.00
	R8-10	10.50	15.00	29.80	13.80	R8-10	10.50	15.00	29.50	13.60	8-10	10.50	15.00	29.60	14.00	R8-10	10.50	15.00	29.50	14.00
	14-5NS	5.30	9.00	28.30	13.30	R14-5S	5.30	10.00	26.50	11.50	14-S5	5.30	10.00	28.50	13.50					
	R14-5	5.30	12.00	29.80	13.30	R14-5	5.30	12.00	27.50	11.50	14-5	5.30	12.00	29.50	13.50	R14-5	5.30	12.00	29.50	13.50
	14-6NS	6.40	9.60	28.60	13.30	R14-6S	6.40	10.00	26.50	11.50	14-S6	6.40	10.00	28.50	13.50					
	R14-6	6.40	12.00	29.80	13.30	R14-6	6.40	12.00	27.50	11.50	14-6	6.40	12.00	29.50	13.50	R14-6	6.40	12.00	29.50	13.50
	14-8NS	8.40	11.50	30.80	14.50						14-S8	8.40	12.00	29.50	13.50					
	R14-8	8.40	16.00	32.80	14.50	R14-8	8.40	16.00	32.50	14.50	14-8	8.40	16.00	32.80	14.80	R14-8	8.40	16.00	32.50	15.00
	R14-10	10.50	16.00	32.80	14.50	R14-10	10.50	16.00	32.50	14.50	14-10	10.50	16.00	32.80	14.80	R14-10	10.50	16.00	32.50	15.00
	22-5NS	5.30	9.50	28.70	12.00						22-5	5.30	12.00	31.45	13.45					
	22-S6	6.40	12.00	30.00	12.00						22-S6	6.40	12.00	31.45	13.45					
	R22-6	6.40	16.50	33.70	13.50	R22-6	6.40	16.50	33.30	13.05	22-6	6.40	16.50	33.70	13.45	R22-6	6.40	16.50	33.40	13.80
	22-S8	8.40	12.00	30.00	12.00						22-S8	8.40	12.00	31.45	13.45					
	R22-8	8.40	16.50	33.70	13.50	R22-8	8.40	16.50	33.30	13.05	22-8	8.40	16.50	33.70	13.45	R22-8	8.40	16.50	33.40	13.80
	R22-10	10.50	17.50	36.70	16.00						22-10	10.50	17.50	36.50	15.75	R22-10	10.50	17.50	37.00	16.90
	R22-12	13.00	22.00	42.50	19.50	R22-12	13.00	22.00	42.30	19.30	22-12	13.00	22.00	42.50	19.50	R22-12	13.00	22.00	42.00	19.60
	R22-14	15.00	30.00	51.50	24.50	R22-14	15.00	30.00	51.30	24.30	22-14	15.00	30.00	51.50	24.50					
	38-S5	5.30	15.50	38.00	16.00						38-S5	5.30	15.50	38.25	17.00					
	38-5	5.30	22.00	42.70	17.70	R38-5	5.30	22.00	42.30	18.30	38-5	5.30	22.00	42.50	18.00					
	38-S6	6.40	15.50	38.00	16.00	R38-6S	6.40	15.30	39.00	18.35	38-S6	6.40	15.50	38.25	17.00					
	38-S8	8.40	15.50	38.00	16.00	R38-8S	8.40	15.30	39.00	18.35	38-S8	8.40	15.50	38.25	17.00					
	R38-8	8.40	22.00	42.70	17.70	R38-8	8.40	22.00	42.30	18.30	38-8	8.40	22.00	42.50	18.00	R38-8	8.40	22.00	42.00	18.00
	38-S10	10.50	15.50	38.00	16.00	R38-10S	10.50	15.30	39.00	18.35	38-S10	10.50	15.50	38.25	17.00					
	R38-10	10.50	22.00	42.70	17.70	R38-10	10.50	22.00	42.30	18.30	38-10	10.50	22.00	42.50	18.00	R38-10	10.50	22.00	42.00	18.00
	R38-12	13.00	22.00	42.70	17.70	R38-12	13.00	22.00	42.30	18.30	38-12	13.00	22.00	42.50	18.00	R38-12	13.00	22.00	42.00	18.00
	R38-14	15.00	30.00	52.50	23.50	R38-14	15.00	30.00	52.30	24.30	38-14	15.00	30.00	52.00	23.50					
	60-S6	6.40	16.00	46.70	20.70						60-S6	6.40	19.00	47.50	20.00					
	60-6	6.40	22.00	49.70	20.70	R60-6	6.40	22.00	48.50	19.00	60-6	6.40	22.00	49.00	20.00					
	60-S8	8.40	16.00	46.70	20.70						60-S8	8.40	19.00	47.50	20.00					
	R60-8	8.40	22.00	49.70	20.70	R60-8	8.40	22.00	48.50	19.00	60-8	8.40	22.00	49.00	20.00	R60-8	8.40	22.00	48.00	19.00
	60-S10	10.50	16.00	46.70	20.70						60-S10	10.50	19.00	47.50	20.00					
	R60-10	10.50	22.00	49.70	20.70	R60-10	10.50	22.00	48.50	19.00	60-10	10.50	22.00	49.00	20.00	R60-10	10.50	22.00	48.00	19.00
	R60-12	13.00	22.00	49.70	20.70	R60-12	13.00	22.00	48.50	19.00	60-12	13.00	22.00	49.00	20.00	R60-12	13.00	22.00	48.00	19.00
	R60-14	15.00	32.00	57.50	23.50	R60-14	15.00	32.00	57.30	22.80	60-14	15.00	32.00	57.50	23.70	R60-14	15.00	32.00	57.00	23.00
	70-8	8.40	24.00	51.00	20.00											R70-8	8.40	24.00	51.00	20.50
	80-6	6.40	27.00	54.20	20.70						80-6	6.40	27.00	53.00	19.50					
	80-8	8.40	27.00	54.20	20.70	R80-8	8.40	27.00	52.50	20.00	80-8	8.40	27.00	53.00	19.50					
	80-10	10.50	27.00	54.20	20.70	R80-10	10.50	27.00	52.50	20.00	80-10	10.50	27.00	53.00	19.50					
	80-11	11.50	27.00	54.20	20.70						なし									
	80-12	13.00	27.00	54.20	20.70	R80-12	13.00	27.00	52.50	20.00	80-12	13.00	27.00	53.00	19.50					
	100-6	6.40	28.50	55.60	20.40						100-6	6.40	28.50	55.50	21.25					

種類	JST	φ d2	B	L	F	N社	φ d2	B	L	F	F社	φ d2	B	L	F	D社	φ d2	B	L	F
R形	100-8	8.40	28.50	55.60	20.40	R100-8	8.40	28.50	53.50	20.25	100-8	8.40	28.50	55.50	21.25					
	R100-10	10.50	28.50	55.60	20.40	R100-10	10.50	28.50	53.50	20.25	100-10	10.50	28.50	55.50	21.25	R100-10	10.50	28.50	54.00	20.80
	R100-12	13.00	28.50	55.60	20.40	R100-12	13.00	28.50	53.50	20.25	100-12	13.00	28.50	55.50	21.25	R100-12	13.00	28.50	54.00	20.80
	R100-14	15.00	32.00	69.00	32.00	R100-14	15.00	32.00	62.50	27.50	100-14	15.00	32.00	69.00	33.00	R100-14	15.00	32.00	68.00	33.00
	R100-16	17.00	32.00	69.00	32.00	R100-16	17.00	32.00	62.50	27.50	100-16	17.00	32.00	69.00	33.00	R100-16	17.00	32.00	68.00	33.00
	R100-18	19.00	32.00	69.00	32.00	R100-18	19.00	32.00	62.50	27.50	100-18	19.00	32.00	69.00	33.00	R100-18	19.00	32.00	68.00	33.00
	R100-20	21.00	32.00	69.00	32.00	R100-20	21.00	32.00	62.50	27.50	100-20	21.00	32.00	69.00	33.00	R100-20	21.00	32.00	68.00	33.00
	R150-10	10.50	36.00	66.00	21.00	R150-10	10.50	36.00	67.30	22.30	150-10	10.50	36.00	67.00	22.00	R150-10	10.50	36.00	66.00	21.00
	R150-12	13.00	36.00	66.00	21.00	R150-12	13.00	36.00	67.30	22.30	150-12	13.00	36.00	67.00	22.00	R150-12	13.00	36.00	66.00	21.00
	R150-14	15.00	36.00	68.00	23.00	R150-14	15.00	36.00	83.30	38.30	150-14	15.00	36.00	75.00	30.00	R150-14	15.00	36.00	82.00	37.00
	R150-16	17.00	36.00	68.00	23.00	R150-16	17.00	36.00	83.30	38.30	150-16	17.00	36.00	75.00	30.00	R150-16	17.00	36.00	82.00	37.00
	R150-18	19.00	36.00	81.00	36.00	R150-18	19.00	36.00	83.30	38.30	150-18	19.00	36.00	75.00	30.00	R150-18	19.00	36.00	82.00	37.00
	R150-20	21.00	36.00	81.00	36.00	R150-20	21.00	36.00	83.30	38.30	150-20	21.00	36.00	75.00	30.00	R150-20	21.00	36.00	82.00	37.00
	150-12	13.00	36.00	66.00	23.00	R150-12	13.00	36.00	67.30	22.30	150-12	13.00	36.00	67.00	22.00					
	150-L8	8.40	36.00	81.00	36.00						150-L8	8.40	36.00	75.00	30.00					
	150-L10	10.50	36.00	81.00	36.00						150-L10	10.50	36.00	75.00	30.00					
	150-L12	13.00	36.00	81.00	36.00	R150-12L	13.00	36.00	83.30	38.30	150-L12	13.00	36.00	75.00	30.00					
	R200-12	13.00	44.00	78.00	24.50	R200-12S	13.00	44.00	80.00	24.80	200-12	13.00	44.00	79.00	25.00	R200-12	13.00	44.00	80.00	25.50
	R200-14	15.00	44.00	78.00	24.50	R200-14	15.00	44.00	91.00	35.80	200-14	15.00	44.00	79.00	25.00	R200-14	15.00	44.00	80.00	25.50
	R200-16	17.00	44.00	78.00	24.50	R200-16	17.00	44.00	91.00	35.80	200-16	17.00	44.00	91.00	37.00	R200-16	17.00	44.00	80.00	25.50
	R200-18	19.00	44.00	91.00	37.50	R200-18	19.00	44.00	91.00	35.80	200-18	19.00	44.00	91.00	37.00	R200-18	19.00	44.00	91.50	37.00
	R200-20	21.00	44.00	91.00	37.50	R200-20	21.00	44.00	91.00	35.80	200-20	21.00	44.00	91.00	37.00	R200-20	21.00	44.00	91.50	37.00
	R200-22	23.00	44.00	91.00	37.50	R200-22	23.00	44.00	91.00	35.80	200-22	23.00	44.00	91.00	37.00					
	R200-24	25.00	44.00	91.00	37.50	R200-24	25.00	44.00	91.00	35.80	200-24	25.00	44.00	91.00	37.00	R200-24	25.00	44.00	91.50	37.00
	R200-27	28.00	44.00	91.00	37.50	R200-27	28.00	44.00	91.00	35.80	200-27	28.00	44.00	91.00	37.00	R200-27	28.00	44.00	91.50	37.00
	200-8	8.40	44.00	72.00	24.50						200-8	8.40	44.00	79.00	25.00					
	200-10	10.50	44.00	72.00	24.50	R200-12N	13.00	44.00	73.20	24.50	200-10	10.50	44.00	79.00	25.00					
	200-12	13.00	44.00	72.00	24.50	R200-12S	13.00	44.00	73.20	24.50	200-12	13.00	44.00	79.00	25.00					
	200-14	15.00	44.00	72.00	24.50	R200-14	15.00	44.00	91.00	35.80	200-14	15.00	44.00	79.00	25.00					
	200-16	17.00	44.00	72.00	24.50	R200-16	17.00	44.00	91.00	35.80	200-S16	17.00	44.00	79.00	25.00					
	250-12	13.00	44.00	78.00	24.50	R250-12	13.00	44.00	91.00	35.80	250-12	13.00	44.00	78.00	24.50					
	250-14	15.00	44.00	78.00	24.50	R250-14	15.00	44.00	91.00	35.80	250-14	15.00	44.00	78.00	24.50					
	250-16	17.00	44.00	78.00	24.50	R250-16	17.00	44.00	91.00	35.80	250-16	17.00	44.00	78.00	24.50					
	R325-16	17.00	50.50	94.20	33.50	R325-16	17.00	50.50	95.00	33.25	325-16	17.00	50.50	92.00	30.30	R325-16	17.00	50.50	92.00	30.30
	R325-18	19.00	50.50	105.70	45.00	R325-18	19.00	50.50	105.00	43.25	325-18	19.00	50.50	98.00	36.30	R325-18	19.00	50.50	105.00	43.30
	R325-20	21.00	50.50	105.70	45.00	R325-20	21.00	50.50	105.00	43.25	325-20	21.00	50.50	98.00	36.30	R325-20	21.00	50.50	105.00	43.30
	R325-22	23.00	50.50	105.70	45.00	R325-22	23.00	50.50	105.00	43.25	325-22	23.00	50.50	98.00	36.30					
	R325-24	25.00	50.50	105.70	45.00	R325-24	25.00	50.50	105.00	43.25	325-24	25.00	50.50	98.00	36.30	R325-24	25.00	50.50	105.00	43.30
	R325-27	28.00	50.50	105.70	45.00	R325-27	28.00	50.50	105.00	43.25	325-27	28.00	50.50	98.00	36.30	R325-27	28.00	50.50	105.00	43.30